

Iguanadon Sightings in Papua New Guinea

Iguanadon Sightings in Papua New Guinea

Dakota Frandsen



Copyright © 2026 by Dakota Frandsen

All rights reserved. No part of this book may be reproduced in any manner whatsoever without written permission except in the case of brief quotations embodied in critical articles and reviews.

First Printing, 2026

The Papuan Neodinosaur Phenomenon

An Exhaustive Analysis of Cryptid Sightings in Papua New Guinea

Introduction to the Neodinosaur Paradigm

The intersection of folklore, cryptozoology, and cognitive anthropology frequently produces complex narratives regarding undiscovered megafauna. Among the most enduring and controversial of these contemporary legends are the reports of "neodinosauurs" emerging from the remote wilderness of Papua New Guinea (PNG) and the Bismarck Archipelago.¹ Since the late twentieth century, a series of high-profile sightings have captured international media attention, describing massive, bipedal, and quadrupedal reptilian creatures bearing an uncanny resemblance to extinct Mesozoic archosaurs.¹

These entities, frequently categorized under the colloquial monikers of the "Papuan Iguanodon," the "Lake Murray Monster" (or simply "Murray"), the "Doren," and the "Kaiaimunu," represent a unique cryptozoological phenomenon.¹ Unlike cryptids whose morphological descriptions rely on vague, shifting attributes, the Papuan sightings are uniquely characterized by their hyper-specific alignment with twentieth-century paleoart reconstructions of dinosaurs.¹ Eyewitnesses consistently report bipedal stances, long necks, trailing tails, dermal frills or "scoops," and reptilian skin, frequently comparing the animals directly to specific taxonomic clades such as iguanodontids, theropods, and sauropods.⁶

The analysis of these reports requires a multidisciplinary approach, bridging vertebrate paleontology, zoology, sociology, and indigenous ethnography. The phenomenon cannot be evaluated solely as a biological mystery; it must be understood as an epistemological nexus where indigenous spiritual traditions, the psychological phenomenon of misidentification, and the ideological frameworks of Western creationist expeditions collide.⁸ This report provides an exhaustive,

critical examination of the *Iguanodon* and related neodinosaur sightings in Papua New Guinea, deconstructing the underlying theories, physical evidence, and socio-cultural catalysts driving the narrative.

Geographical and Environmental Context

The plausibility of undiscovered megafauna is heavily dependent on the isolation and carrying capacity of the local environment. Papua New Guinea offers one of the most rugged, inaccessible, and biologically diverse terrains on the planet, making it a fertile ground for cryptozoological speculation. The sightings are primarily concentrated in two distinct geographical theaters: the vast mainland freshwater systems, specifically Lake Murray in the Western Province, and the nearshore marine and jungle environments of the Bismarck Archipelago, notably West and East New Britain.⁵

The Lake Murray Ecosystem

Lake Murray is the largest lake in Papua New Guinea, covering an expansive baseline area of ap-

proximately 700 square miles.⁷ However, this measurement is highly variable; the lake expands and shrinks dramatically in response to the region's alternating wet and dry seasons, creating a highly dynamic, labyrinthine ecosystem characterized by a serpentine shoreline, dense mangrove swamps, mysterious inlets, and remote coves.⁷ The region is inhabited by approximately 5,000 indigenous people whose villages dot the small islands and shorelines.⁷ These communities rely heavily on stilt housing and utilize dugout canoes as their primary means of transportation and interaction with the environment.⁷ The sheer scale and impenetrability of the Lake Murray swamp system provide a theoretical refuge where a large, amphibious species could evade routine scientific detection, a geographical reality that fuels ongoing speculation regarding the "Lake Murray Monster".¹²

The Bismarck Archipelago

Conversely, the Bismarck Archipelago sightings—particularly those on Ambungi Island, Aivet Island, Dililo Island, and the coastal marshes near Kokopo and Gasmata—involve a mix of dense vol-

canic rainforests and intricate coral reef ecosystems.⁵ The islands of New Britain possess dense jungle canopies and complex coastal mangroves that have historically limited extensive biological surveying, creating pockets of relative ecological isolation.¹ It is within these twin crucibles of mainland swamp and volcanic island jungle that the contemporary mythology of the Papuan *Iguanodon* and related cryptids has taken root, sustained by environments that effortlessly conceal large native fauna while challenging human traversal.

Exhaustive Chronology and Typology of the Sightings

The historical record of neodinosaur sightings in Papua New Guinea is heavily clustered around the late 1990s and the first decade of the twenty-first century.¹ A rigorous examination of the eyewitness testimonies reveals several distinct morphological categories, suggesting that if the phenomenon is rooted in misidentification, it involves multiple extant species being forced into a single "dinosaurian" cognitive schema. The reports

encompass coastal marine encounters, dense jungle encounters, and open freshwater sightings.

Early Archipelagic Sightings (1992–1999)

The modern genesis of the Bismarck Archipelago sightings can be traced to 1992, when John Manlel reported encountering a creature he classified as a "bright green dinosaur" in a mangrove forest on the shore of Aivet Island.¹ Observing the creature from an offshore canoe, Manlel described a 12-foot-long animal with rough skin, large hind limbs, hand-like forelimbs, and a thick tail used for lateral propulsion in the water.¹ He specifically noted a saw-like ridge on its back that grew taller toward the tip of the tail.¹

Three years later, in 1995, a local spearfisherman named Alphones Likky reported a close-range underwater encounter on the unpopulated southern reef of Ambungi Island, located midway between Kandrian and Gasmata.⁶ Likky claimed to have heard a crashing sound in the coral before observing a fully submerged animal approximately four meters long and two to three meters high, passing within five meters of him.⁶ He described

the creature as possessing a small, snake-like head atop a long neck, with four legs terminating in duck-like webbed feet.⁶ The animal, which had dark brown skin and dermal frills along its back and tail, slowly retreated into an underwater cave.⁶

In 1999, Alice Pasington observed another entity on Ambungi Island while working in a garden.⁶ From a distance of 40 meters, she watched a three-meter-long reddish-brown creature with a white breast and smooth skin.⁶ The animal possessed dermal frills exclusively on its tail and held its neck nearly vertical as it fed on a rough-textured leaf plant.⁶ Pasington later observed the creature walk to a cliff, dive into the sea, and leave behind distinct five-toed footprints, leading researchers to postulate it may have been a juvenile specimen of a larger unknown species.⁶

The Lake Murray "Iguanodon" Incidents (December 1999)

The most seminal event in the Papuan neodinosaur narrative, which brought the cryptid to international prominence, occurred in December 1999 at Lake Murray.¹ On December 11, local vil-

lagers traveling in a dugout canoe reported observing a massive creature wading in the shallow waters near the village of Boboa.⁷ The credibility of the account was ostensibly bolstered the following day when Joseph Yup, a Seventh Day Adventist pastor, alongside a church elder, claimed to have seen the same animal in the immediate vicinity.⁷

The physical description provided by the eyewitnesses to the *Independent* newspaper of PNG was extraordinarily detailed and heavily evocative of a classic theropod or iguanodontid dinosaur.⁵ The animal was described as being "as long as a dump truck" and nearly two meters wide, featuring a long neck and a long, slender tail.¹ It was observed adopting a bipedal stance, walking on two massive hind legs described as being "as thick as coconut palm tree trunks," while possessing two significantly smaller forelegs.⁷ The creature's head was likened to the shape of a cow's head, but it featured large eyes and "sharp teeth as long as fingers".⁷ Furthermore, its skin was explicitly compared to the armored texture of a crocodile, and the witnesses noted the presence of "largish triangular scoops" traversing its back.⁷

This specific combination of traits—bipedalism, unequal limb proportions, a reptilian hide, and dorsal ornamentation—became the archetypal template for the Papuan *Iguanodon*, blending herbivorous morphology (the cow-like head and dump-truck girth) with predatory attributes (finger-length teeth).² The sheer scale of the creature resulted in an organized hunt by six policemen armed with M-16 assault rifles and villagers wielding bush knives, though the search yielded no physical evidence.³

The Kokopo / Tinganavudu Panic (March 2004)

In March 2004, the epicenter of sightings shifted to East New Britain, specifically a marshy area just outside the provincial capital of Kokopo, near the remote village of Tinganavudu.⁵ This event triggered widespread panic and a mobilized government response. Villagers reported a three-meter-tall, grey-colored beast possessing a "head like a dog and the tail of a crocodile".⁵

The primary eyewitness, Christine Samei, stated she fled for her life after encountering the

animal in the dense marsh, describing it as "very huge and ugly looking" and remarkably "as fat as a 900-liter water tank".¹ The situation escalated to the point where the mayor of Tinganavudu, Albert Buanga, officially mobilized a police SWAT team to hunt the creature, fearing it posed a direct threat to the community.⁵ This panic was further exacerbated by claims that the creature had consumed three local dogs, an explicitly carnivorous behavior that sharply contradicted the herbivorous nature of a true *Iguanodon*.⁵ When later interviewed by television host Josh Gates, Samei was presented with an illustration of an *Iguanodon*; she confirmed the body matched her sighting, though she reiterated the presence of a dog-like head and added that the creature possessed glowing red eyes.¹ Another local eyewitness, identified as Leot, corroborated the long neck, crocodilian tail, and immense size of the beast.¹

Subsequent Archipelagic and Mainland Sightings (2004–2015)

Reports continued to manifest across the region throughout the ensuing decade. In August

2004, off the coast of Dililo Island near Gasmata, eyewitnesses Fabian Amon, Simon Patolkit, and Margaret Patolkit reported seeing a creature estimated to be eight meters long.⁶ The visible portion featured a three-meter-long neck held horizontally near the water, a head resembling a crocodile or lizard with "big" eyes, uniform brown skin with a rough texture, and a "saw-like" back consisting of four or five dermal frills.⁶

Between 2005 and 2006 on Ambungi Island, witnesses Robert and Tony Avil described a bipedal, wallaby-shaped animal standing "as high as a house".¹ The creature had smooth brown skin, a long tail, and a long neck tipped with a turtle-like head.¹ Robert Avil observed the animal from a distance of 150 feet in the late afternoon as it browsed on vegetation before moving into a body of water.¹ When later presented with paleoart by researchers, Avil identified the Asian theropod *Therizinosaurus* as the closest morphological match, though he noted the head and claws of the cryptid were distinctly different.¹

Further north, near Benaule Village in Kimbe, locals reported a creature dubbed the "Doren".¹ In November 2010, Pastor Ken-John observed the an-

imal from a distance of just one meter, utilizing a modern technological cognitive map by describing its head profile as resembling the nose of a Boeing 747 jet aircraft.⁶ The Doren was reported to be amphibious, coming ashore at high tide to dig for worms and eat crabs in local gardens, leaving distinctive 25-centimeter-long footprints.⁶ Notably, locals reported that while the Doren typically walked quadrupedally, it would transition to facultative bipedal locomotion to run, allegedly capable of outrunning a human.⁶

More recent reports include a 2013 sighting of a large reptilian entity by a man playing tennis near Lake Murray, and a July 2015 sighting collected by researchers Brian Irwin and Todd Jurasek involving an anonymous eyewitness off Ambungi Island who claimed to see a long-necked brown marine animal with a saw-like ridge swimming in the open ocean.¹

Morphological Synthesis of Papuan Cryptids

To highlight the disparate physical descriptions attributed to these neodinosauurs, the following

data synthesis table delineates the varying morphological traits reported across key sightings:

Cryptid Designation / Location	Locomotion / Stance	Estimated Size	Cranial Morphology
Lake Murray Monster (1999)	Bipedal	"Length of a dump truck," 2m wide	Cow-like head with finger-like teeth
Kokopo / Tinganavudu (2004)	Bipedal	3m tall, "Fat as a 900L water tank"	Dog-like head, glowing red eyes
Aivet Island (1992)	Bipedal	12 feet long	Unspecified
Ambungi Island (1995/1999)	Quadrupedal	3-4m long, 2-3m high	Snake-like / Turtle-like

The "Doren" (Kimbe, 2010)	Facultative Biped	Unspecified length, massive	Rese the nos 747 jet
--	----------------------	--------------------------------	----------------------------

The Relic Dinosaur Hypothesis: A Paleontological Critique

The primary hypothesis advanced by cryptozoologists, creationist explorers, and certain local eyewitnesses is that the Papuan neodinosauers represent a relict population of Mesozoic archosaurs that survived the Cretaceous-Paleogene (K-Pg) extinction event 66 million years ago.³ Supporters of this theory point to the "Lazarus taxon" phenomenon, frequently citing the discovery of the coelacanth and the Wollemi Pine as precedent for ancient lineages surviving undetected into the modern era.⁶

However, a rigorous paleontological, taphonomic, and biological assessment renders the relic dinosaur hypothesis highly improbable. The specific taxonomic classifications proposed by investigators—ranging from *Iguanodon* to *Therizinosaurus* to *Herrerasaurus*—demonstrate a

severe misunderstanding of both paleobiogeography and evolutionary biology.⁵

Taxonomic Inconsistencies and Biological Contradictions

1. **The Iguanodon Conflict:** The creature reported in Kokopo was widely labeled an "Iguanodon" based heavily on witness reactions to illustrations presented by outsiders.¹ The true *Iguanodon* (meaning "iguana tooth") was an ornithopod herbivore from the mid-Jurassic to Cretaceous periods, characterized by a horny beak, grinding teeth suited for processing horsetails and low swamp vegetation, and specialized defensive thumb spikes.⁵ The Kokopo creature, conversely, was reported to have eaten three dogs and possessed a dog-like head with sharp teeth.⁵ This blending of obligate herbivore morphology with active mammalian predation is biologically contradictory. While some theorists suggest a localized relative, such as the Australian *Muttaburrasaurus*, might have evolved carnivorous

traits in isolation, such radical dietary shifts involving the re-evolution of predatory dentition within derived ornithomimids have absolutely no fossil precedent.⁵

2. **The Theropod Contenders:** To account for the carnivorous behavior and sharp teeth reported at Lake Murray and Kokopo, other researchers have proposed that the creature is a surviving theropod, drawing parallels to the aboriginal Australian cryptid known as the *Burrinjor*, which is often likened to an *Allosaurus*.⁵ Cryptozoologists have pointed to newly discovered Australian megaraptorans (e.g., "Lightning Claw," estimated at 7 meters) or the *Australovenator* (estimated at 5 meters) as potential ancestors.⁵ However, these taxa maxed out at heights of approximately 2.1 meters (7 feet), significantly smaller than the massive "dump truck" dimensions reported at Lake Murray.¹ Furthermore, the Ambungi Island witness Robert Avil likened his sighting to a *Therizinosaurus*.¹ *Therizinosaurus* was a highly specialized, bizarre Asian theropod adapted for herbivory, bear-

ing massive scythe-like claws.¹⁶ The presence of an endemic therizinosaurid in New Guinea lacks any paleobiogeographical foundation, and the physical descriptions of the cryptid omit the genus's defining massive foreclaws.¹

3. **The *Herrerasaurus* Anomaly:** The proposal by creationist researcher Brian Irwin that the "Doren" represents a surviving *Herrerasaurus* is perhaps the most chronologically and geographically anachronistic.⁶ *Herrerasaurus* was an early, basal dinosaur from the late Triassic period of South America. Positing that a Triassic South American taxon survived into the Holocene in Papua New Guinea without leaving a single trace in the intervening 230 million years of the global fossil record requires ignoring all established principles of stratigraphy and continental drift.⁶

Taphonomic and Biogeographic Realities

The fundamental, insurmountable flaw in the relic dinosaur theory is the absolute absence of

Cenozoic fossil continuity. If a breeding population of massive, multi-ton reptiles existed in the Bismarck Archipelago or the Papuan mainland for 66 million years, they would have inevitably left a taphonomic footprint.¹ Bones, teeth, trackways, nesting sites, and coprolites would be present in the relatively recent geological strata. While lower Cretaceous fossils, such as marine lamellibranchia and a Neocomian *Holaster* (an echinoid), have been successfully identified and cataloged in PNG²¹, there is absolutely no fossil evidence of terrestrial non-avian dinosaurs existing in the region post-extinction. The isolated, resource-competitive ecosystem of PNG is highly conducive to the evolution of unique avians and marsupials, but it lacks the caloric base and physical space required to support a hidden, viable breeding population of apex mega-reptiles "the size of a dump truck".¹

Extant Biological Analogues: The Misidentification Paradigm

If the creatures are not relic dinosaurs, the most scientifically rigorous explanation is the misidentification of extant, native fauna. Papua New

Guinea hosts several large, unique species whose behaviors and morphology, when observed under poor lighting, in dense foliage, or in a state of psychological panic, can be easily conflated with pre-historic imagery.

The Saltwater Crocodile (Crocodylus porosus)

The most probable biological culprit for the majority of the amphibious, heavily armored sightings is the estuarine or saltwater crocodile (*Crocodylus porosus*).⁷ These apex predators are exceptionally abundant in the swampy margins of Lake Murray and the coastal mangrove regions of New Britain.⁷ They can reach lengths exceeding 6 meters (nearly 20 feet), easily accounting for the massive size descriptions reported by locals.²²

Several key behavioral and anatomical traits of the crocodile map perfectly onto the neodinosaur reports:

- **Dorsal Ornamentation ("Triangular Scoops"):** Eyewitnesses frequently describe dorsal frills, "triangular scoops," or "saw-like

ridges" running down the back and tail of the cryptids.¹ The pronounced, keratinous scutes running down the back and powerful tail of a large, mature saltwater crocodile perfectly match this physical description.⁷

- **The Bipedal Illusion:** Crocodiles are capable of a "high walk," a form of terrestrial locomotion where they lift their bellies entirely off the ground, extending their legs downward. In dense marshland vegetation or tall grass, a high-walking crocodile viewed from an oblique or frontal angle can present a surprisingly upright, almost bipedal silhouette, particularly to a startled observer.²³
- **Floating Archosaur Trackways:** Reports of bipedal footprints or missing forelimb tracks are a common trope in cryptozoology, often used to assert the presence of theropods.⁶ However, ichnological studies of modern crocodilians and ancient archosaurs moving through shallow aquatic environments thoroughly explain this phenomenon.²⁶ When a crocodile is partially buoyant in water roughly 3 meters deep, its body weight is supported by the water col-

umn, and only the tips of its long hind claws scrape the muddy bottom.²⁷ This "floating" locomotion leaves elongated, tridactyl-like (three-toed) scratch marks devoid of any forelimb impressions.²⁶ When the water level eventually recedes, these marks create the false illusion of a massive, bipedal theropod trackway.²⁷

Giant Varanid Lizards

Another compelling candidate for the terrestrial "neodinosaur" sightings involves giant monitor lizards. Papua New Guinea is home to *Varanus salvadorii* (the crocodile monitor), which is the longest lizard in the region and can exceed 2.5 meters in length.²⁸ Cryptozoologist Karl Shuker and researcher George Eberhart have extensively documented historical reports of giant, sometimes amphibious, monitor lizards in New Guinea, known in various local dialects as the *au angi-angi*, *artrel-lia*, or *rharhru*.¹

These massive varanids are capable of rearing up on their powerful hind legs and utilizing their tails as a tripod to observe their surroundings or

engage in aggressive threat displays.²⁹ A large monitor lizard adopting a bipedal stance, combined with its long neck, sharp claws, and rough reptilian skin, provides a solid biological basis for reports of creatures resembling miniature *Tyrannosaurus rex* or *Iguanodon* models.¹ The search for the elusive *artrellia* was even a primary objective of the 1978–1980 "Operation Drake" expedition led by Colonel John Blashford-Snell, highlighting the long-standing scientific curiosity regarding giant Papuan lizards.²⁹

The Southern Cassowary (Casuarius casuarius)

For rapid, terrestrial encounters describing strictly bipedal animals with robust hind legs and unusual head shapes, the native Southern Cassowary (*Casuarius casuarius*) must be considered. From a cladistic and evolutionary perspective, the cassowary is an actual living, breathing theropod dinosaur.³⁰

Standing up to 1.8 meters (nearly 6 feet) tall, the cassowary possesses massive, scaly hind legs "as thick as tree trunks," terminating in three-toed feet

equipped with lethal, dagger-like claws.³⁰ The bird also features a prominent keratinous cranial casque used for foraging and display.³⁰ In the twilight of the dense rainforest canopy, a startled cassowary fleeing at high speed on two legs could easily be interpreted as a reptilian theropod.³⁰ Furthermore, footprint analyses comparing extant cassowary tracks to fossilized non-avian theropod tracks demonstrate deep morphological similarities, frequently leading untrained observers to misidentify modern avian prints as ancient dinosaur tracks.³¹ The "turtle-like," "dog-like," or "cow-like" heads reported by cryptid witnesses may be cognitive distortions of the cassowary's bright blue and red wattle and massive bony casque.⁶

Marine Taphonomy: The Cetacean Misdirection

Physical evidence presented to support the existence of Papuan neodinosauars has consistently failed under empirical, forensic scrutiny.¹ During the 2007 expedition by television host Josh Gates for the Syfy series *Destination Truth*, Gates was shown large bones by a local anthropology pro-

fessor, Dr. Linus Digimrina, which were alleged to belong to the Tinganavudu *Iguanodon*.¹⁵ Upon subsequent expert zoological analysis in the United States, these remains were decisively identified as the bones of a marine mammal, highly likely a sperm whale.¹⁵

Similarly, a massive "globster" carcass that washed ashore in western New Britain—featuring alleged hind limbs, small forelimbs, and a saw-like dorsal structure—was connected by locals to the cryptid phenomenon.¹ However, marine biologists generally identified the "New Britain carcass" as a highly decayed whale.¹ The decomposition process of cetaceans frequently results in the lower jaw and ventral flesh falling away entirely, leaving a massive skull and exposed spinal column that eerily mimics the long neck and small head of a plesiosaur or sauropod to the untrained eye. Furthermore, attempts to attribute sightings of large aquatic serpents in Lake Murray to local snake populations fall short; the longest snake in the colubrid family native to the area, the keeled rat snake (*Pythas carinata*), maxes out at twelve feet, far short of the thirty to sixty-foot estimates provided by some boaters.¹³

Anthropological Syncretism: The Kaiaimunu and Gulf Folklore

To fully understand why the indigenous populations of Papua New Guinea report seeing "dinosaurs," one must look beyond pure biology and examine the deep anthropological, spiritual, and artistic traditions of the region. The neodinosaurs of the Bismarck Archipelago and the mainland are frequently referred to by locals using the traditional term *Kaiaimunu*.¹

In the rich tapestry of Papuan mythology, specifically among the Elema people of the Papuan Gulf (coastal villages between Kerema and Orokolo), the *Kaiaimunu* is a powerful, ancestral guardian spirit.³⁴ Traditionally described as a giant, serpent-like, or bipedal entity that resides in the depths of the sea or the untamed jungle, the *Kaiaimunu* represents strength, danger, and the raw forces of nature.¹⁶

The physical representation of the *Kaiaimunu* and related spirits is highly instructive regarding modern cryptid sightings. Historically, the Elema people constructed massive, sacred masks known as *Hevebe* and *Eharo* for use in complex, cyclical religious ceremonies that dictated social and politi-

cal life.³⁵ These towering masks were crafted from an underlying cane framework overlaid with woven basket wickerwork or bark cloth (*tapa*).³⁵

The morphology of the *Hevehe* mask is strikingly specific and structurally bizarre: they are large, flat ovals attached to a central pole, tapering at the bottom where the face and mouth are situated.³⁵ Crucially, the mouth, which is frequently depicted with sharp, jagged teeth, extends outward at a stark 90-degree angle from the vertical plane of the mask.³⁵ Other masks, such as the *kanipu* and *avoko*, possess rounded heads with long, open crocodilian jaws.³⁶ Furthermore, these structures are towering, often worn by men completely obscured beneath heavy grass skirts that form the creature's "body," rendering the human form invisible.³⁵

During initiation rites, a young male was lifted and placed entirely *inside* the massive woven *Ka-iaimunu* figure to help construct it from within, embedding the spirit into the social fabric of the community.³⁶ If an outsider, or even an uninitiated villager from a neighboring region, were to encounter a 15-foot-tall, conical, *tapa*-cloth entity with sharp teeth projecting outward, moving bipedally through the jungle twilight during a fes-

tival, the visual data would perfectly match the descriptions of the "Lake Murray Monster" or the Tinganavudu beast.¹

Over decades of colonial influence, linguistic shifts, and the decline of traditional mask ceremonies recorded by early anthropologists like F.E. Williams, the specific, localized religious context of the *Kaiaimunu* has faded in some areas.³⁵ What remains is the cultural memory of a towering, bipedal, sharp-toothed monster lurking in the jungle. When modern Westerners arrive and present images of an *Iguanodon* or a *Therizinosaurus*, the indigenous population maps their existing, deeply ingrained cultural concept of the *Kaiaimunu* directly onto the Western scientific concept of a "dinosaur." This is a textbook example of cultural syncretism, where traditional folklore adopts a modern, pseudoscientific vocabulary.⁵

The Megafauna Memory Hypothesis

An alternative anthropological theory suggests that the legends of the *Kaiaimunu* and the associated "dinosaur" sightings represent deep-time oral traditions recounting actual human interactions

with Pleistocene megafauna.³⁷ Archeological and paleontological evidence confirms that Aboriginal Australians and the ancestors of modern Papuans coexisted with massive, bizarre marsupials for at least 17,000 years.³⁷

Fossils from the Willandra Lakes Region and other sites detail animals such as the rhino-sized *Zygomaturus trilobus* (a lumbering, wombat-like marsupial with high flaring cheekbones) and the giant *Palorchestes azael* (a massive marsupial possessing enormous, scythe-like claws).³⁷ The memory of hunting and fearing these massive beasts may have been passed down through millennia via oral tradition. As the actual megafauna went extinct approximately 30,000 to 50,000 years ago, the descriptions became increasingly mythologized, transforming massive marsupials into the scaly, aquatic *Kaiaimunu*.³⁷ While fascinating as a study of human memory, this theory cannot account for the highly specific "dinosaurian" attributes (like dermal frills, reptilian tails, and bipedal reptilian stances) added to recent accounts, pointing instead toward modern cultural contamination.

The Ideological Catalyst: Creationist Cryptozoology

Perhaps the most significant driving force behind the global proliferation and specific formatting of the Papuan neodinosaur narrative is the heavy, ideologically motivated involvement of Young Earth Creationist (YEC) organizations.⁸ The pursuit of living dinosaurs in Papua New Guinea is not primarily driven by mainstream secular zoologists or university biology departments, but rather by creationist explorers actively seeking to dismantle the Darwinian evolutionary timeline.⁹

Organizations such as Creation Ministries International (CMI) and Genesis Park operate under the strict theological premise that the Earth is only a few thousand years old, and that dinosaurs co-existed historically alongside humans, potentially surviving the Biblical flood.⁶ As explicitly stated by creationist author Bill Gibbons, "Perhaps the most exciting prospect for the world of creation science is the possibility that dinosaurs may still be living in the remote jungles of the world... [to] topple Darwinism".¹⁰ Similarly, figures like Dr. Jobe Martin and Paul Taylor utilize these sightings to argue

against evolutionary biology in widely distributed media such as *The Evolution of a Creationist* and *The Great Dinosaur Mystery*.⁴²

Methodological Flaws in YEC Expeditions

The expeditions led by creationists such as Brian Irwin, Paul Nation, Garth Guessman, David Woetzel, Jonathan Whitcomb, and Carl Baugh suffer from profound methodological biases that actively generate the very sightings they seek to document.⁶

1. **Elicitation via Illustration:** During the Genesis Park expedition to Lake Murray in February 2015, investigators actively showed pictures of various dinosaurs to local tribesmen to see what they recognized (adding pterosaurs and hippos as a purported "credibility check").⁷ Similarly, Brian Irwin carried illustration books to West New Britain during his 2012 investigations.⁶ When an isolated indigenous person is shown an illustration of an *Iguanodon* or a *Therizinosaurus* by a wealthy Western ex-

plorer who is clearly seeking a specific affirmative answer, the psychological phenomena of compliance and the observer-expectancy effect take hold.¹ The locals, eager to please the visitors or cognitively mapping the image to their own folklore (the *Kaiaimunu*), point to the dinosaur and confirm its existence.¹⁰ This methodology is heavily criticized by secular anthropologists; as noted regarding the similar *Mokele-mbe-mbe* legend in the Congo, the practice of showing illustrations invalidates the testimony, as locals often view the creature as a spirit rather than a flesh-and-blood animal.⁹

2. **Confirmation Bias in Interpretation:**

When Brian Irwin interviewed locals about the amphibious "Doren," he actively retrofitted their ambiguous, highly unusual descriptions into specific, anachronistic paleontological taxa.⁶ Upon hearing the Doren had a head like a Boeing 747 and dug for worms in gardens, Irwin concluded it might be best identified as a *Herrerasaurus*.⁶ This demonstrates a predetermined conclusion—that living dinosaurs exist—seeking

any available data point to justify itself, regardless of biological or paleontological logic.⁹

3. **The "Ropen" Precedent:** The creationist community's approach to the Papuan *Iguanodon* perfectly mirrors their approach to the "Ropen," a supposedly bioluminescent cryptid in PNG that they insist is a living *Rhamphorhynchus* pterosaur.⁸ Despite zero physical evidence of bioluminescent pterosaurs in the fossil record, creationist videographers like Jonathan Whitcomb have spent over 10,000 hours interviewing locals (who refer to the phenomenon as *Indava*, a "bird that brings death") to prove the Ropen's existence.⁸ This has drawn immense criticism for embedding religious dogma into biological field research and creating deep divisions within the broader cryptozoological community.⁸

Media Propagation and the 'Jurassic Park' Effect

The final, crucial component of the Papuan *Iguanodon* puzzle is the globalization of Western media and the exportation of pop-culture paleontology. The massive surge in highly specific "dinosaur" sightings in 1999 and 2004 correlates directly with the global proliferation of dinosaur media in the late 1990s, catalyzed primarily by the *Jurassic Park* franchise.¹⁴

Government officials in Papua New Guinea have explicitly noted this phenomenon and its impact on local testimony. During the 2004 Kokopo panic, a local government official stated directly to the press that the villagers had "identified the creature from books and movies about dinosaurs. 'They told us it was a dinosaur,' said one official".⁵ The introduction of Western paleontology books by missionaries (who arrived armed with such books in the year 2000 to confirm reports) and the broadcasting of dinosaur films fundamentally altered the local vocabulary.³ A massive crocodile or an unexpected encounter with a territorial casowary was no longer categorized as a bush spirit; it was re-contextualized as an "Iguanodon."

This media feedback loop was cemented by the arrival of reality television. The Syfy network's paranormal investigation series *Destination Truth* premiered its very first episode, "Iguanodon & Ri," in June 2007, focusing exclusively on the Kokopo sightings.¹⁵ Host Josh Gates's expedition into the Tinganavudu swamps—complete with infrared cameras, mobilized SWAT teams, and the dramatic, on-camera consumption of mind-altering Buai nuts to secure tribal cooperation—legitimized the local legend on an international entertainment scale.¹⁵ Although Gates ultimately concluded that the physical evidence pointed to whale bones and the video evidence pointed to a hunting saltwater crocodile, the broadcast inextricably linked Papua New Guinea to the concept of living dinosaurs in the global public consciousness, ensuring the legend's survival.¹⁵

Conclusion

The exhaustively documented sightings of the Papuan *Iguanodon*, the Lake Murray Monster, the Doren, and the various neodinosauurs of the Bismarck Archipelago do not represent a biological

anomaly, but rather a profound sociological, psychological, and epistemological phenomenon. The empirical, paleontological evidence firmly precludes the survival of a relic population of Mesozoic archosaurs in the Holocene ecosystems of Papua New Guinea. The extreme biogeographical isolation of the island, coupled with an absolute, undeniable absence of Cenozoic dinosaurian taphonomy, renders the existence of living iguanodontids, therizinosaurs, or herrerasaurids a biological impossibility.

Instead, the Papuan neodinosaur is a complex, modern chimera constructed from four intersecting realities:

1. **Biological Misidentification:** The physical nucleus of the encounters stems from the misidentification of formidable, extant endemic fauna. The high-walking, heavily scuted *Crocodylus porosus*, the towering, bipedal, and lethally clawed *Casuarius casuarius* (which is technically an avian dinosaur), and giant amphibious monitor lizards (*Varanus salvadorii*) provide the biological raw materials that spark these fearful

encounters. Furthermore, the taphonomy of decaying cetaceans frequently produces skeletal remains that mimic long-necked marine reptiles.

2. **Ancestral Folklore:** These biological encounters are filtered through the deep, pre-existing cultural lens of the *Kaiaimunu* and related ancestral spirits. Traditionally represented by massive, sharp-toothed, conical tapa-cloth masks that bear an eerie resemblance to theropod dinosaurs, this folklore primed the indigenous population to expect towering, bipedal monsters in the jungle.
3. **Cultural Syncretism via Globalization:** This indigenous folklore has undergone rapid cultural syncretism due to the influx of Western media, including films like *Jurassic Park* and imported paleontology texts. This cultural exchange caused locals to abandon traditional spiritual vocabulary and adopt the specific visual and linguistic vocabulary of twentieth-century paleoart to describe their local monsters, transforming a *Kaiaimunu* into an *Iguanodon*.

4. **Ideological Weaponization:** Finally, and most critically, this feedback loop has been actively weaponized and sustained by Young Earth Creationist organizations. By utilizing scientifically flawed methodologies—such as presenting field guides of extinct reptiles to isolated communities (eliciting the observer-expectancy effect) and interpreting ambiguous folklore as empirical proof of anti-evolutionary theology—these expeditions have artificially inflated, codified, and exported the legend.

The "Iguanodon" of Papua New Guinea is ultimately a phantom of globalization and ideological pursuit—a creature born not in the swamps of the Cretaceous period, but in the modern collision of indigenous myth, human psychology, and the relentless desire to reshape the natural world to fit a predetermined narrative.

Works cited

1. Neodinosuars in New Guinea and the Bismarck Archipelago | Encyclopaedia of

Cryptozoology, accessed March 8, 2026, [https://cryptidarchives.fandom.com/wiki/](https://cryptidarchives.fandom.com/wiki/Neodi-)

[Neodi-nosaurs_in_New_Guinea_and_the_Bismarck_Archipelago](https://cryptidarchives.fandom.com/wiki/Neodi-nosaurs_in_New_Guinea_and_the_Bismarck_Archipelago)

2. Cryptid sketch: Iguanodon by Strikerprime on DeviantArt, accessed March 8, 2026, <https://www.deviantart.com/strikerprime/art/Cryptid-sketch-Iguanodon-489825111>
3. Murray - Cryptid Wiki - Fandom, accessed March 8, 2026, <https://cryptidz.fandom.com/wiki/Murray>
4. cryptozoology research The Lake Murray Monster by JonassaurotheDragon on DeviantArt, accessed March 8, 2026, <https://www.deviantart.com/jonassaurothedragon/art/cryptozoology-research-The-Lake-Murray-Monster-871829235>
5. New Guinean Iguanodon | Cryptid Wiki - Fandom, accessed March 8, 2026, [https://cryptidz.fandom.com/wiki/](https://cryptidz.fandom.com/wiki/New_Guinean_Iguanodon)
[New_Guinean_Iguanodon](https://cryptidz.fandom.com/wiki/New_Guinean_Iguanodon)

6. More 'dino' sightings in Papua New Guinea - Creation.com, accessed March 8, 2026, <https://creation.com/en/articles/more-dino-sightings-in-papua-new-guinea>
7. The Lake Murray Monster of PNG | Genesis Park, accessed March 8, 2026, <https://genesispark.com/exhibits/cryptozoological-evidence/the-theropod-enclosure/the-lake-murray-monster-of-png/>
8. Ropen | Christianity Knowledge Base | Fandom, accessed March 8, 2026, <https://christianity.fandom.com/wiki/Ropen>
9. Creationism in cryptozoology, accessed March 8, 2026, https://cryptidarchives.fandom.com/wiki/Creationism_in_cryptozoology
10. The Congo's Dinosaur of Discord - New Lines Magazine, accessed March 8, 2026, <https://newlinesmag.com/reportage/the-congos-dinosaur-of-discord/>
11. Theropod and sauropod dinosaurs sighted in PNG? - Creation.com, accessed March 8, 2026, <https://creation.com/en/ar->

articles/theropod-and-sauropod-dinosaurs-sighted-in-png

12. Reports of a prehistoric creature in untouched Lake Murray - Post Courier, accessed March 8, 2026, <https://www.postcourier.com.pg/reports-prehistoric-creature-untouched-lake-murray/>
13. The Serpent of Lake Murray. Could Terror Be Stalking A South... | by Brown Lotus | The Mystery Box | Medium, accessed March 8, 2026, <https://medium.com/the-mystery-box/the-serpent-of-lake-murray-c9b718db5792>
14. A living dinosaur? - Creation.com, accessed March 8, 2026, <https://creation.com/en/articles/a-living-dinosaur>
15. Iguanodon & Ri | Destination Truth Wiki - Fandom, accessed March 8, 2026, https://destinationtruth.fandom.com/wiki/Iguanodon_%26_Ri
16. Kaiaimunu - Cryptid Tidbits Wiki - Fandom, accessed March 8, 2026, <https://cryptid-tidbits.fandom.com/wiki/Kaiaimunu>

17. Papuan Iguanodon | It's Something Wiki - Fandom, accessed March 8, 2026, https://itsmth.fandom.com/wiki/Papuan_Iguanodon
18. cryptozoology research New Guinea Iguanodon by JonassaurotheDragon on DeviantArt, accessed March 8, 2026, <https://www.deviantart.com/jonassaurothedragon/art/cryptozoology-research-New-Guinea-Iguanodon-851670848>
19. Australia's Aborigines ... did they see dinosaurs? - Creation Ministries International, accessed March 8, 2026, <https://creation.com/en/articles/australias-aborigines-did-they-see-dinosaurs>
20. Kaiaimunu - Cryptid Wiki - Fandom, accessed March 8, 2026, <https://cryptidz.fandom.com/wiki/Kaiaimunu>
21. Lower Cretaceous fossils from Papua and New Guinea - Product catalogue, accessed March 8, 2026, <https://ecat.ga.gov.au/geonetwork/srv/api/records/a05f7892-fb9b-7506-e044-00144fdd4fa6>

22. Estuarine Crocodile - The Australian Museum, accessed March 8, 2026, <https://australian.museum/learn/animals/reptiles/estuarine-crocodile/>
23. Crocodile - Wikipedia, accessed March 8, 2026, <https://en.wikipedia.org/wiki/Crocodile>
24. Alligators move on land using two different modes of locomotion, the "sprawl" and the "high walk." The sprawl involves moving forward with its belly rubbing the ground, however, the high walk is an "up on all four limbs" motion with the belly well above the ground and a diagonal slow trot style. - Reddit, accessed March 8, 2026, https://www.reddit.com/r/educationalgifs/comments/r4i3dz/alligators_move_on_land_using_two_different_modes/
25. So there was once this 9 ft. Crocodile that walked on 2 legs. See, things could be worse., accessed March 8, 2026, <https://www.reddit.com/r/EverythingScience/comments/hbeb56/>

so_there_was_once_this_9_ft_croco-
dile_that_walked/

26. Traces of Floating Archosaurs: An Interpretation of the Enigmatic Trace Fossils from the Triassic of the Tabular Cover of Southern Spain | Request PDF - ResearchGate, accessed March 8, 2026, https://www.researchgate.net/publication/311963842_Traces_of_Floating_Archosaurs_An_Interpretation_of_the_Enigmatic_Trace_Fossils_from_the_Triassic_of_the_Tabular_Cover_of_Southern_Spain
27. Why Some Dinosaurs Left Swim Marks Instead of Footprints; What “Almost Floating” Really Looked Like - The Economic Times, accessed March 8, 2026, <https://m.economictimes.com/news/international/us/why-some-dinosaurs-left-swim-marks-instead-of-footprints-what-almost-floating-really-looked-like/articleshow/128542349.cms>
28. Full text of "Guide to Mysterious and Legendary Creatures" - Internet Archive, accessed March 8, 2026, <https://archive.org/>

stream/Cryptozoology_201608/Cryptozoology_djvu.txt

29. Karl Shuker's Blog, page 15 - Goodreads, accessed March 8, 2026, https://www.goodreads.com/author/show/271954.karl_shuker/blog?page=15
30. Extant Theropod Appreciation #5: The Cassowary - Love in the Time of Chasmosaurs, accessed March 8, 2026, <https://chasmosaurs.blogspot.com/2010/12/extant-theropod-appreciation-5.html>
31. Identifying variation in dinosaur footprints and classifying problematic specimens via unbiased unsupervised machine learning - PMC, accessed March 8, 2026, <https://pmc.ncbi.nlm.nih.gov/articles/PMC12867633/>
32. Blog: Birds In Mud - Lisa G. Buckley, Ph.D., accessed March 8, 2026, <https://lisagbuckley.com/blog-birds-in-mud/>
33. Destination Truth - Apple TV, accessed March 8, 2026, <https://tv.apple.com/us/show/destination-truth/umc.cmc.13hz5ljtk8ew0pmsunvzoxw67>

34. Investigating the PAPUAN monster KAIAMUNU in 6.36 minutes! - YouTube, accessed March 8, 2026, https://www.youtube.com/watch?v=i0_FhUiCWDU
35. Papuan Gulf masks | Hevehe | eravo | sell | Value - new guinea tribal arts, accessed March 8, 2026, <https://www.new-guinea-tribal-arts.com/papuan-gulf-masks/>
36. Papuan Gulf Masks (Art-Pacific.com: New Guinea tribal art and Indonesian folk art), accessed March 8, 2026, <https://www.art-pacific.com/artifacts/nuginea/papuan/gulfmask.htm>
37. Aboriginal Australians Co-Existed With Giant Reptiles And Marsupials For Over 17,000 Years - That's Interesting, accessed March 8, 2026, <https://allthatsinteresting.com/aboriginal-megafauna-australia>
38. Aboriginal Australians co-existed with the megafauna for at least 17,000 years, accessed March 8, 2026, <https://www.heritagedaily.com/2017/01/aboriginal-australians-co-existed-with-the-megafauna-for-at-least-17000-years/113904>

39. Paleontologists Find New Biomarkers to Identify Megafauna Species in Australia's Fossil Record | Sci.News, accessed March 8, 2026, <https://www.sci.news/paleontology/megafauna-peptide-markers-13956.html>
40. Zygomaturus | Nepean Historical Society, accessed March 8, 2026, <https://nepean-historicalsociety.asn.au/tag/zygomaturus/>
41. Arguments we think creationists should NOT use - Creation Ministries International, accessed March 8, 2026, <https://creation.com/en/articles/arguments-we-think-creationists-should-not-use>
42. Creation Answers Book (CMI) | PDF | Science | Atheism - Scribd, accessed March 8, 2026, <https://www.scribd.com/document/576745134/Creation-Answers-Book-CMI>
43. The Fiery Flying Serpent | Genesis Park, accessed March 8, 2026, <https://genesis-park.com/essays/the-fiery-flying-serpent/>
44. Dr. Jobe Martin-The Evolution Of A Creationist, 5 Part Series, 3 DVDs + Work-

- book | eBay, accessed March 8, 2026, <https://www.ebay.com/itm/388464693232>
45. The Evolution of a Creationist by Jobe Martin Guide to Conflict Between Bible | eBay, accessed March 8, 2026, <https://www.ebay.com/itm/314778021222>
46. The Evolution of a Creationist: A Four-part Video Series [DVD] 94922975577 | eBay, accessed March 8, 2026, <https://www.ebay.com/itm/353521525305>
47. Do you think Dinosaurs could still be roaming uncharted forests of Papua new guinea ? : r/Cryptozoology - Reddit, accessed March 8, 2026, https://www.reddit.com/r/Cryptozoology/comments/f799fa/do_you_think_dinosaurs_could_still_be_roaming/
48. Mokele-mbembe: a living dinosaur? - Creation Ministries International, accessed March 8, 2026, https://creation.com/index.php?option=com_content&view=article&id=326
49. Cryptozoology's Toxic Relationship with Creationism - Reddit, accessed March 8, 2026, <https://www.reddit.com/r/Cryp->

- tozoology/comments/1hxfr11/cryptozoology_toxic_relationship_with_creationism/
50. The Truth is Out There: On the Wild and Divisive World of Cryptozoology - Literary Hub, accessed March 8, 2026, <https://lithub.com/the-truth-is-out-there-on-the-wild-and-divisive-world-of-cryptozoology/>
51. Here's my issue with Living Dinosaur Sightings... : r/Cryptozoology - Reddit, accessed March 8, 2026, https://www.reddit.com/r/Cryptozoology/comments/17w2d9i/heres_my_issue_with_living_dinosaur_sightings/

Destination Truth: Season 1 - TV sa Google Play, accessed March 8, 2026, https://play.google.com/store/tv/show/Destination_Truth?cdid=tvseason-pHYSmP1BqG-BuHCl0ZqTzjw&gdid=tvepisode-Nb8tBfb4kxg&id=HgJtOvZjp3Q&h

